

# EBCD MEDITECH Content Updates – 2024.1

## All Modules

---

### Overview

This document is a high-level overview for end user education purposes about significant changes within the Nursing, ED, and OR Module screens, including Behavioral Health routines. Additional enhancements may be seen in the [EBCD Release Education Section](#) of the [EBCD Atlas Connect page](#).






Inpatient Rehab Facility Enhancements education will be posted separately.

### How to use this guide

The enhancements are listed by intervention. They include which module(s) are affected along with the impact associated with the intervention.

The enhancements are listed in alphabetical order and provide a rationale behind the change and screenshot example(s). This document focuses on end user enhancements designated as high and medium impact.

### Impact Legend:

Safety/Regulatory 	Clinical Initiative 	Impacted by Women's and Children's 
Reimbursement/Billing 	Enhancements/Wins 	

Be aware the enhancements may not be in your test environment at the time this document is published. Your facility/IT Division support team will notify you when the updates will be available in your software.

Please read the MEDITECH selected prompts and follow the yellow information boxes onscreen as you become aware of changes in the documentation.

Click the topic name to be taken to the specific documentation within this update:

Summary of Revisions ..... 2

Nursing, OR & EDM Modules ..... 3

    First Point of Contact ..... 3

    Gender Identity ..... 5

    Hemodynamics ..... 8

    IV Drip Status ..... 9

    IV Titration- Rapid Titration ..... 10

    Pre-Op Prep Documentation ..... 12

    RASS CAM LOC: Copyright ..... 13

    Respiratory Effort/Pattern ..... 14

    Integumentary Assessment/Skin Alteration ..... 15

Nursing and EDM Modules ..... 21

    Urinary Catheter ..... 21

Nursing & OR Module ..... 22

    Manage/Refer/Contact/Notify ..... 22

    OR Basic Position and Equipment ..... 23

Nursing Module ..... 28

    Injured Trauma Survivor Screen (ITSS) ..... 28

    Patient/Family Teaching ..... 33

    Telemetry Application/Discontinuation ..... 35

ED Module ..... 40

    EMS Sepsis Fluid ..... 40

    Location Incident Occurred Field Update ..... 42

---

## Summary of Revisions

---

Date	Revision

# Nursing, OR & EDM Modules

## First Point of Contact



Individual COVID-19 specific questions are no longer pertinent for reporting and will be removed from the First Point of Contact screening process. COVID-19 screening will now be included in the respiratory risk status within the First Point of Contact assessment for communicable disease and will not be separated out with a stand-alone status.

**Note:** The **'COVID-19 point of entry status' query is being retired** which may affect dashboards, nursing status boards and/or EDM trackers if this query was used in any local build.

### First Point of Contact updated field

The close contact field has been updated to include COVID:

- *Recent close contact with a person who has flu like illness, COVID, or TB*

### COVID-19 specific questions retired

- 'Patient states having a fever' has been removed
- 'COVID-19 point of entry screening status' has been removed

First Point of Contact/MRSA

**Recent close contact with a person who has flu like illness, COVID, or TB:**

1 Yes      Flu like illnesses include but are not limited to COVID-19, SARS, MERS, etc.

2 No

Have you ever had TB or a positive TB skin test:  No \*

**Recent close contact with a person who has flu like illness, COVID, or TB:**  \*

Risk factors for C.diff:  \*

Have you or a close contact traveled outside the US in the last 3 weeks:  \*

Which countries:

Which countries comment:

(Prev Page)  (Next Page)

First Point of Contact

**Patient states having a fever:**

1 Yes      Have you or a close contact traveled outside the US in last 3 weeks:

2 No      Recent close contact with a person who has influenza like illness/TB:

Fever greater than 100.4 F or 38.0 C: No

Cough not related to allergy or COPD:

~~Patient states having a fever:~~  \*

Patient states having shortness of breath:  \*

~~COVID-19 point of entry screening status:~~  \*

(Prev Page)  (Next Page)

### Programming Update for Point of entry Screening status

For a **POSITIVE** respiratory risk, **THREE** of the following conditions must be met with 'Yes' or 'Yes - in the last 7 days':

- 'Fever greater than 100.4 F or 38.0C' in the last 7 days
- 'Recent close contact with a person who has flu like illness, COVID, or TB'
- 'Have you or a close contact traveled outside the US in the last 3 weeks'
- 'Cough not related to allergy or COPD'
- 'Sore Throat'
- 'Nasal congestion unrelated to allergies/sinus infections'
- 'Body Aches'
- 'Rash'
- 'Patient states having shortness of breath'

If the patient meets this requirement, they will screen positive for respiratory risk; otherwise, a negative respiratory risk will default in.

First Point of Contact/MRSA

**Fever greater than 100.4 F or 38.0 C:**

1 Yes - in the last 7 days  
2 Not in the last 7 days

Fever greater than 100.4 F or 38.0 C:  \*

Cough not related to allergy or COPD:  \*

Persistent cough greater than 3 weeks:

Cough with blood produced:

Sore throat:  \*

Nasal congestion unrelated to allergies/sinus infections:  \*

First Point of Contact/MRSA

**Night sweats:**

1 Yes - in the last 7 days  
2 Not in the last 7 days

Night sweats:  \*

Unexplained weight loss:  \*

Fatigue:  \*

Body aches:  \*

Rash:  \*

Patient states having shortness of breath:  \*

First Point of Contact/MRSA

**Mask applied and patient isolated and receiving unit/department notified:**

1 Yes  
2 No

Point of entry screening status: **Positive Respiratory Risk**  
Negative TB Risk  
Negative C difficile Risk

Mask applied and patient isolated and receiving unit/department notified:  \*

(Prev Page)  (End)

This update affects the following interventions/assessments:

Nursing	Surgery	Emergency Room
1 <sup>st</sup> Point of Contact MRSA/TB/RESP	SURG: 1 <sup>st</sup> Point of Contact MRSA/TB/RESP	Rapid Initial Assessment
		Receipt MOA 1 <sup>st</sup> POC
		Paramedic Intake
		First Point of Contact

# Gender Identity



**Gender Identity**, formerly known as Sexual Orientation Gender Identity (SOGI), is being updated to help clinicians accurately capture patient's current gender identity including preferred pronouns.

Patient Reception

Patient  Arrival Date  Arrival Time   
 Name  Sex  F Birthdate  Age   
 Perform MPI Search?  Y Zip Code

Stated Complaint   
 Chief Complaint

Priority  ED Location  Wait List   
 Room  Wait No.

Wait List

Patient	Priority	Complaint	Status Event
1			
2			
3			
4			
5			
6			

PCP  
Comme  
Preferre  
Edit

Receipt MOA 1st POC

Patient   
 Date  Time  User

What is your current gender identity:  
 1 Decline to answer ? Additional category  
 2 Female  
 3 Female to male  
 4 Genderqueer  
 5 Male  
 6 Male to female

Arrived by:>WI \*

EMS service:

Other EMS service:

Did this happen at work:>

First Point of Contact:  (End)

Emergency Department Reception screen, update assessment, will now have gender specific fields.

**Note:** These fields are not required.

### Emergency Department

In the Emergency Department, if there is a mismatch from Registration's Birth Sex and gender identity, then the gender-specific logic will be lifted and the fields will be available in assessments and treatments.

For example, the *Currently pregnant* field would become available for any gender mismatch.

### Standalone Intervention (All Modules)

*What are your preferred pronouns* is a new, single select field with the following responses:

- He/him/his/himself
- She/her/hers/herself
- They/them/theirs/theirsIf
- Ze/hir/hirs/hirself

**Note:** *The Gender Identity stand-alone intervention is available in Nursing, OR, BH, and ED.*

## Nursing and Surgery

The **Admission Health History** has been updated with the following three fields:

- *What is your current gender identity*
- *What sex were you assigned at birth*
- *What are your preferred pronouns*

## Nursing and Surgery

In the nursing and surgery body system assessment, if there is a mismatch from Registration's Birth Sex and gender identity, then the gender-specific logic will be lifted and the fields will become available in the nursing assessments.

For example, the *Scrotal swelling* field defaults blank with the Default Norms selection and the Gynecological assessment becomes available.

Health History Assessment

What is your current gender identity:

- 1 Decline to answer
- 2 Female
- 3 Female to male
- 4 Genderqueer
- 5 Male
- 6 Male to female

Developmental level 18 years+:

What is your current gender identity:

What sex were you assigned at birth:

What are your preferred pronouns:

(Prev Page)  (Next Page)

Genitourinary

Urine clear, yellow to amber in color:

- ✓ 1 Yes
- 2 No
- 3 Unable to assess

- Genitourinary -

Click below to default system normal values

DFT Norms

DFT Norms (Go to Next System)

Urine clear, yellow to amber in color:  Yes

Continent of urine for developmental age without catheter:  Yes

Abnormal urinary conditions:  None

Fistula/graft present:  No

Abnormal genitalia:  None

Urethral discharge:  None

Urethral lesions:  None

Scrotal swelling:

Signs or symptoms of recent injury or trauma:  None

(End)

### Behavioral Health

Behavioral Health will have Gender identity fields including preferred pronouns and an additional field for Sexual Orientation, *Do you think of yourself as*, on the **Health History Assessment**.

This update affects the following interventions/assessments:

Nursing	Surgery	Emergency Room
Admission Health History	SURG: Admission Health History	Gender Identity
Gender Identity	SURG: Gender Identity	MOA, Workers Comp, FPOC
BH: Health History Assessment		

## Hemodynamics



The **Hemodynamics** screen has been updated with a new field, *IAP (mmHg)*, for intra-abdominal pressure.

*IAP HTN* grading has been changed to *IAP (mmHg)*.

*IAP (mmHg)* will now utilize the numeric keypad and increased to allow for more characters.



This update affects the following interventions/assessments:

Nursing	Surgery	Emergency Room
Vital Signs	OR Vital Signs Parameters	Hemodynamics
Critical Care Flow Record		Flowsheet - Detailed
		Disposition – DC, TX, ADM, LPT
		Newborn Stabilization
		Paramedic Intake
		Triage Reassessment

## IV Drip Status



Updating group response to include more options for drip titration dosing.

*IV Drip Titration* has updated the group response 'IV drip # dose units' with added options:

- mU/kg/min
- mU/kg/hr

This update affects the following interventions/assessments:

Nursing	Surgery	Emergency Room
IV Drip Titration	SURG: IV Drip Titration PAC	IV Drip Titration
	SURG: IV Drip Titration Pre	

## IV Titration- Rapid Titration



To enable clear and distinct capture of block titration for specific drug classes in urgent/emergent situations as defined by facility policy to align with TJC requirements.

**IV Drip Titration** has been updated with *Block Titration documentation that will be available with statuses of Start, Titrate and Restart:*

- *Block titration # start time*
- *Block titration # starting dosage*
- *Block titration # max dosage*
- *Block titration # end dosage*
- *Block titration # end time*

The value field for *Block Titration # end dosage* will default in the *IV drip # new dosage* once the block titration documentation is filed.

**Block titration 3 end time:**

7	8	9	Del
4	5	6	
1	2	3	
0			Now

Block titration 3 start time: 0846\*  
 Block titration 3 starting dosage: 0.5\*  
 Block titration 3 max dosage: 1\*  
 Block titration 3 end dosage: 0.7\*  
 Block titration 3 end time: 1100\*

---

**IV drip 3 new dosage:**

Enter free text. Last Documented Doses (Up to 3)  
 Dosage: 8 documented 12/22/20 at 1027

**Last 4 Clinical Data Entries (For Today)**

Date	Time	RASS	CPOT	Pulse	Resp	Blood Press	MAP	ICP

IV drip 3: NOREPINEPHRINE BITARTRATE  
 IV drip 3 concentration: DRIP 3 PREVIOUS CONCENTRATION  
 Block titration 3: Yes  
 Click box to display PHA admin criteria ->   
 IV drip 3 new dosage: 0.7  
 IV drip 3 dose units: >  
 IV drip 3 dosage in ml/hr: >

(Next Page)

This update affects the following interventions/assessments:

Nursing	Surgery	Emergency Room
IV Drip Titration	SURG: IV Drip Titration PAC	IV Drip Titration
	SURG: IV Drip Titration Pre	

**For more information on care delivery for block titration visit the CSG Nursing Practice site [here](#).**

## Pre-Op Prep Documentation



The **Home Prep Solution** and **Pre-Op Prep Solution** have been updated with an additional group response “Nonantimicrobial soap.” On screen documentation, displayed in the yellow box, was updated to align with existing group responses with the addition of Nonantimicrobial soap.

Pre-op Prep Documentation x

Ok Home prep solution:	Also known as:
1 <input type="checkbox"/> Alcohol chlorhexidine	1 - Chloraprep
2 <input type="checkbox"/> Alcohol	5 - Hibiclens, CHG, Hibistat
3 <input type="checkbox"/> Baby shampoo	6 - PhisoHex
4 <input type="checkbox"/> Castile soap	7 - Duraprep
5 <input type="checkbox"/> Chlorhexidine gluconate	9 - PCMX, Dettol
6 <input type="checkbox"/> Hexachlorophene	10 - Betadine ophthalmic
7 <input type="checkbox"/> Iodine povacrylex alcohol	11 - Betadine scrub
8 <input type="checkbox"/> Nonantimicrobial soap	12 - Betadine paint
9 <input type="checkbox"/> Parachlorometaxyleneol	13 - Microban, Irgasan
10 <input type="checkbox"/> Povidone-iodine ophthalmi	
11 <input type="checkbox"/> Povidone-iodine scrub	
12 <input type="checkbox"/> Povidone-iodine solution	
13 <input type="checkbox"/> Triclosan	

Home prep solution:

Pre-op prep site:

Pre-op prep completed by:

Pre-op prep solution:

(Prev Page)  (Next Page)

This update affects the following interventions/assessments:

Nursing	Surgery	Emergency Room
Pre-Procedure Checklist	SURG: Pre-Procedure Checklist	Pre-Op Checklist
	SURG: Prep Screen Pre-Op	

## RASS CAM LOC: Copyright



The RASS CAM Copyright is now available in the EMR.

RASS CAM LOC Assessment ✖

TESTING,BINK - 37/F PRE ER J.ER

U/A J000442696/J00021470295

**Allergies/ADRs: No Known Allergies**

-- RASS/LOC / CAM-ICU --

Upon observation, select best response describing patient: Restlessness/agitation

Best description of patients restlessness or agitation: +4 Combative

RASS/LOC score: +4 +4 Combative

-- CAM-ICU SCORE --

-- Copyright --

Copyright = 2012 Virginia Commonwealth University, All rights reserved.

?
📄
Previous
Next
Back

This update affects the following interventions/assessments:

Nursing	Surgery	Emergency Room
IV Drip Titration	SURG: Controlled Substance Pre	RASS/CAM/LOC
Controlled Substance	SURG: Controlled Substance Int	
Orientation	SURG: Controlled PAC	
RASS/CAM ICU	SURG: IV Drip Titration Pre	
Critical Care Flow Record	SURG: IV Drip Titration PAC	

# Respiratory Effort/Pattern



Respiratory Effort/Pattern

**Respiratory effort and pattern:**

<input type="checkbox"/> 1 Accessory muscles use	<input checked="" type="checkbox"/> 7 <b>Dyspneic +</b>	<input type="checkbox"/> 13 Labored
<input type="checkbox"/> 2 Agonal	<input type="checkbox"/> 8 Gasping	<input type="checkbox"/> 14 Nasal flaring
<input type="checkbox"/> 3 Apnea less than 15 second	<input type="checkbox"/> 9 Grunting	<input type="checkbox"/> 15 Orthopneic (tripod)
<input type="checkbox"/> 4 Apnea more than 15 second	<input type="checkbox"/> 10 Head bobbing	<input type="checkbox"/> 16 Prolonged respirations +
<input type="checkbox"/> 5 Cheyne stokes	<input type="checkbox"/> 11 Irregular pattern	<input type="checkbox"/> 17 Pursed lip breathing
<input type="checkbox"/> 6 Drooling	<input type="checkbox"/> 12 Kussmaul	<input type="checkbox"/> 18 <b>or&lt;F9&gt; For More Options</b>

Respiratory effort and pattern:\*

'Dyspneic' Lookup

Select | Clear

'Dyspneic' Options

<input checked="" type="checkbox"/> 1	Dyspneic at rest
<input type="checkbox"/> 2	Dyspneic upon exertion

<End of list>

*Respiratory effort and pattern* has updated the group response 'Dyspneic' with added subsets:

- Dyspneic at rest
- Dyspneic upon exertion

This update affects the following interventions/assessments:

Nursing	Surgery	Emergency Room	
OB: Recovery Record	SURG: Admission Assessment	Behavioral Health Related	Behavioral Health Related Reassessment
Moderate Sedation	SURG: Moderate Sedation Intra	Burn	Burn Reassessment
Hemodialysis Treatment	SURG: Outpatient Discharge	Cardiac Related	Cardiac Related Reassessment
Admission/Shift Assessment	SURG: Admission Assessment Int	Vertigo Dizziness	Vertigo Dizziness Reassessment
Controlled Substance	SURG: Moderate Sedation Pre	Near Drowning	Near Drowning Reassessment
RT Continuous Nebulizer TX	SURG: Moderate Sedation PAC	Physical Findings	Neonatal Physical Findings
RT Continuous Nebulizer TX - Initial	SURG: Moderate Sedation Post	RT Continuous Nebulizer Treatment	Moderate Sedation
RT Continuous Nebulizer TX - Subsequent	SURG: Controlled Substance Pre	ENT	ENT Reassessment
RT: Trach Tube Care	SURG: Controlled Substance Int	Fever Flu Like Symptoms	Fever Flu Like Symptoms Reassessment
RT: Initial Evaluation	SURG: Controlled Substance PAC	Hypo Hyperglycemia	Hypo Hyperglycemia Reassessment
RT PED: Continuous Neb TX	SURG: Assessment PAC	Hemodialysis Treatment	Newborn Transition
RT PED: Initial Evaluation		Hypothermia	Hypothermia Reassessment
RT PED: Trach Tube Care		Ingestion	Ingestion Reassessment
RT: Newborn Assessment		Trauma MVC	Trauma MVC Reassessment
Pediatric Oxygen Challenge		Respiratory	Respiratory Reassessment
		Rib Pain	Rib Pain Reassessment
		RT Trach Tube Care	
		Sickle Cell Crisis	Sickle Cell Crisis Reassessment
		Seizure	Seizure Reassessment
		Non-Urgent General Focus	Controlled Substance

# Integumentary Assessment/Skin Alteration



Multiple skin alteration/wound care queries versioned to align with Expanse Cloud content/updates.

Integumentary Assessment

**OK Skin alteration:**

1 None  
2 Present/Exists

Skin condition: >

Color within expectations for ethnicity: >

Skin turgor—tenting less than 1 second: >

Skin piercings: >

**Skin alteration: >**

Document skin test monitor:

(End)

The *Skin alteration* content description has been updated.

Previously listed as: *Skin alteration/Procedure Site*

*Skin alteration* has the following Responses:

- None
- Present/Exists

*Note: Complex Wound documentation in NUR remains unchanged.*

Skin Alteration

**OK Skin alteration description:**

1 Abrasion	7 Contusion	13 Pressure injury
2 Abscess	8 Graft	14 Procedural site
3 Amputation	9 Incision	15 Puncture
<b>4 Avulsion</b>	10 Laceration	16 Rash/hives
5 Blister	11 Maceration	17 Scratch
6 Burn	12 Mesh	18 or<F9> For More Options

**Skin alteration description: >**

Skin alteration other: >

Location (A/P): >

Location (body): >

Instance list status: Active

Pressure injury present on admission:

Pressure injury staging: >

Skin alteration description: Lookup

Select

Options

1 <b>Skin flap</b>
2 Skin tear
<b>3 Stasis ulcer</b>
4 Other

The *Skin alteration description* field has the following new responses:

- Avulsion
- Contusion
- Graft
- Maceration
- Mesh
- Pressure Injury
- Puncture
- Scratch
- Skin Flap
- Stasis ulcer

The following responses have been removed:

- Bitemark
- Bruise
- Donor site
- Excoriation
- All Pressure injury subsets
- Purpura

Skin Alteration

**Wound closure: [or free text]**

1 Intact  
 2 Removed  
 3 Skin adhesive  
 4 Staples  
 5 Sutures

Skin alteration details: >

Wound surrounding tissue appearance: >

Wound surrounding tissue temperature: >

Wound closure: >

Wound drainage description: >

Wound drainage amount: >

Wound drainage odor: >

(Prev Page)  (Next Page)

*Wound closure* has been added with the following responses:

- Intact
- Removed
- Skin adhesive
- Staples
- Sutures

Skin Alteration

**Wound drainage description:**

1 Serous  
 2 Sanguineous  
 3 Serosanguineous  
 4 Purulent  
 5 Brown  
 6 Tan  
 7 Green  
 8 Yellow  
 9 White

Skin alteration details: >

Wound surrounding tissue appearance: >

Wound surrounding tissue temperature: >

Wound closure: >

Wound drainage description: >

Wound drainage amount: >

Wound drainage odor: >

(Prev Page)  (Next Page)

*Wound drainage description* has been added with the following responses:

- Serous
- Sanguineous
- Serosanguineous
- Purulent
- Brown
- Tan
- Green
- Yellow
- White

Skin Alteration

**Wound drainage amount:**

1 None  
 2 Scant  
 3 Small  
 4 Moderate  
 5 Large  
 6 Copious

Skin alteration details: >

Wound surrounding tissue appearance: >

Wound surrounding tissue temperature: >

Wound closure: >

Wound drainage description: >

Wound drainage amount: >

Wound drainage odor: >

(Prev Page)  (Next Page)

*Wound drainage amount* has been added with the following responses:

- None
- Scant
- Small
- Moderate
- Large
- Copious



Skin Alteration

**Wound drainage odor:**

- 1 No odor
- 2 Slight odor
- 3 Foul odor

Skin alteration details:>

Wound surrounding tissue appearance:

Wound surrounding tissue temperature:

Wound closure:>

Wound drainage description:>

Wound drainage amount:>

**Wound drainage odor:>**

(Prev Page) (Next Page)

Wound drainage odor has been added with the following responses:

- No odor
- Slight odor
- Foul Odor

Skin Alteration

**Wound exudate amount/type: [or free text]**

- 1 None
- 2 Brown
- 3 Green
- 4 Serosanguineous
- 5 Serous
- 6 Yellow
- 7 Odor
- 8 Bloody
- 9 Purulent
- 10 Small amount
- 11 Moderate amount
- 12 Large amount

Rash description:

**Wound exudate amount/type:>**

Edema type:

(Prev Page) (End)

This was NOT separated in the 3 new documentation fields as seen in NUR/SUR

- Wound drainage description
- Wound drainage amount
- Wound drainage odor

*Note: Wound exudate amount/type: documentation in the EDM remains unchanged.*

Skin Alteration

**Wound cleansing: [or free text]**

- 1 Analgesic/cream/ointment/spray
- 2 Antibiotic, plain
- 3 Antifungal cream/ointment
- 4 Antifungal powder
- 5 Balsam/castor/trypan ointment
- 6 Biological dressing
- 7 Cadexomer iodine dressing
- 8 Collagen matrix
- 9 Enzymatic cream/ointment
- 10 Growth factor ointment
- 11 Hydrogel
- 12 Normal saline
- 13 Perineal/skin cleanser
- 14 Prot barrier cream/ointment/wipe
- 15 Silver ion Ag+
- 16 Skin conditioner/lotion
- 17 Triple antibiotic ointment
- 18 Wound cleanser

**Wound cleansing:>**

Dressing status:>

Dressing intervention:

Dressing type:

(Prev Page) (Next Page)

Wound cleansing content description has been updated.

Previously listed as:  
*Cleansed/applied*

No changes were made to the Wound cleansing responses.

Screenshot of the 'Skin Alteration' window. The 'Dressing status:' section is highlighted with a red box and contains the following options:

- 1  Drainage present
- 2  Dry
- 3  Intact
- 4  Open to air

Below this, there are input fields for 'Wound cleansing:', 'Dressing status: >', 'Dressing intervention: >', and 'Dressing type: >'. At the bottom, there are '(Prev Page)' and '(Next Page)' buttons.

*Dressing status* has been added with the following responses:

- Drainage present
- Dry
- Intact
- Open to air

Screenshot of the 'Skin Alteration' window. The 'Dressing intervention:' section is highlighted with a red box and contains the following options:

- 1 Changed
- 2 Reinforced
- 3 Removed

Below this, there are input fields for 'Wound cleansing:', 'Dressing status: >', 'Dressing intervention: >', and 'Dressing type: >'. At the bottom, there are '(Prev Page)' and '(Next Page)' buttons.

*Dressing intervention* has been added with the following responses:

- Changed
- Reinforced
- Removed

Screenshot of the 'Skin Alteration' window. The 'Dressing type: [or free text]' section is highlighted with a red box and contains the following options:

1 <input type="checkbox"/> Abd pad/dressing	7 <input type="checkbox"/> Gauze	13 <input type="checkbox"/> Non adhering
2 <input type="checkbox"/> Adhesive wound dressing	8 <input type="checkbox"/> Gauze bandage roll	14 <input type="checkbox"/> Packing
3 <input type="checkbox"/> Calcium alginate	9 <input type="checkbox"/> Honey dressing	15 <input type="checkbox"/> Peripad
4 <input type="checkbox"/> Fiber plain	10 <input type="checkbox"/> Hydrocolloid	16 <input type="checkbox"/> Silicone adhering foam
5 <input type="checkbox"/> Fiber/silver	11 <input type="checkbox"/> Hydrogel	17 <input type="checkbox"/> Transparent
6 <input type="checkbox"/> Foam	12 <input type="checkbox"/> Neg press wound therapy	

Below this, there are input fields for 'Wound cleansing:', 'Dressing status: >', 'Dressing intervention: >', and 'Dressing type: >'. At the bottom, there are '(Prev Page)' and '(Next Page)' buttons.

*Dressing type* content description has been updated.

Previously listed as:  
*Dressing/Reinforcement type*

*Dressing type* responses have been updated for alignment. No new responses have been added but the following responses have been removed:

- Adhesive closure strips
- All packing subsets
- Skin adhesive
- Unable to verify

Document advanced wound measurements:  
 1 Yes  
 2 No

Packing removed:   
 Alteration photographed:

Wound/skin alteration comments:

Wound dressing change date:

Document advanced wound measurements: Yes

(Prev Page)  (Next Page)

*Date of last dressing change* has been changed to *Wound dressing change date*. Last filed default is maintained.

*Time of last dressing change* has been removed.

*Document advanced wound measurements* requirement has been removed.

Wound length cm:  
 7 8 9 Del  
 4 5 6  
 1 2 3  
 - 0 . Calc

Wound length cm:   
 Wound width cm:   
 Wound depth cm:

Wound tunneling location:   
 Wound tunneling cm:

Wound undermining direction:   
 Wound undermining cm:

(Prev Page)  (End)

*Advanced wound measurements* now accepts 10 characters including a decimal point.

This change includes:

- Wound length cm:
- Wound width cm:
- Wound depth cm:
- Wound tunneling cm:
- Wound undermining cm

Wound tunneling location:  
 1 1 O'clock      8 8 O'clock  
 2 2 O'clock      9 9 O'clock  
 3 3 O'clock      10 10 O'clock  
 4 4 O'clock      11 11 O'clock  
 5 5 O'clock      12 12 O'clock  
 6 6 O'clock  
 7 7 O'clock

Using the patient's head as reference for 12 o'clock, if there is more than one area of tunneling, only the deepest and most extensive area of tunneling needs to be documented.

Wound length cm:   
 Wound width cm:   
 Wound depth cm:

Wound tunneling location:   
 Wound tunneling cm:

Wound undermining direction:   
 Wound undermining cm:

(Prev Page)  (End)

*Wound tunneling location* content description has been updated

Previously listed as:  
*Tunneling location*

*Wound undermining direction* content description has been updated

Previously listed as:  
*Undermining direction*

No changes were made to the responses.

This update affects the following interventions/assessments:

Nursing	Surgery	Emergency Room	
Lines, Drains, Airways +	SURG: Lines, Drains, Airways Pre-op +	Negative Pressure Wound Therapy	Wound Care
Critical Care Flow Record +	SURG: Lines, Drains, Airways Intra-op +	Minor Amputation	Minor Amputation Reassessment
Admission/Shift Assessment - Neonatal +	SURG: Lines, Drains, Airways PACU +	Wound Evaluation	Wound Evaluation Reassessment
Admission/Shift Assessment +	SURG: Admission Assessment +	Snake Bite	Snake Bite Reassessment
OB: OR Record +	SURG: Admission Assessment Int +	Neck Pain Injury	Neck Pain Injury Reassessment
	SURG: Assessment PAC +	Assault Sexual	Assault Human Animal Bite Reassessment
	SURG: Packing Intra-op +	Allergic Reaction	Allergic Reaction Reassessment
		Abscess	Abscess Reassessment
		Assault Victims of Abuse	Assault Human Animal Bite
		Newborn Stabilization	Physical Findings
		Non Urgent General Focus	Neonatal Physical Findings

# Nursing and EDM Modules

## Urinary Catheter



The 'Indication for urinary catheter' will not be required if the user selects 'Straight' for the 'Urinary catheter type' field. The user will continue to document on the insertion date/time. The "Indication for urinary catheter" is an optional field but is not required.

Urinary Catheter

Patient Testing.Bink - 37/F J00021470295  
 Date 09/06/23 Time 1052 User EDDP17405

Indication for urinary catheter:

1 Accurate I/O and crit ill	7 Palliative care	Patient should have specific order for chronic indwelling catheter.
2 Acute retention/obstruct	8 Perioperative procedure	
3 Assist in skin healing	9 Peripartum	
4 Chronic	10 Prolonged immobilization	
5 Gross hematuria/irrigate		
6 Meets removal protocol		

Urinary catheter type: → Straight \*

Insertion/applied date: → 09/06/23\*

Insertion/applied time: → 1052\*

Indication for urinary catheter: →

Urinary catheter status: →

External/condom change date: →

External/condom change time: →

(Next Page)

OK Cancel

Clinicians are no longer required to document a clinical indication when documenting a straight cath.

There is not an accurate indication in the current group response for specimen collection.

This update affects the following interventions/assessments:

Nursing	Surgery	Emergency Room
Critical Care Flow Record	SURG: Lines, Drains, Airways Inter	Foley Catheter
Lines/Drains/Airways	SURG: Lines, Drains, Airways Pre	Newborn Stabilization
CPN: Clinical Interface	SURG: Lines, Drains, Airways PAC	

# Nursing & OR Module

## Manage/Refer/Contact/Notify



The **Manage/Refer/Contact/Notify** intervention has been updated to support the overall enterprise patient safety goal for timely application of the telemetry monitor.

Manage Refer Contact Notify

Reason notified: [or free text]

<input type="checkbox"/> 1 Abnormal vital signs	<input type="checkbox"/> 7 Family meeting	<input type="checkbox"/> 13 Rhythm chg/arrhythmia
<input type="checkbox"/> 2 Change in pt condition	<input type="checkbox"/> 8 Order clarification	<input type="checkbox"/> 14 Sepsis notification
<input type="checkbox"/> 3 Collateral information	<input type="checkbox"/> 9 Pain management	<input type="checkbox"/> 15 Stroke alert
<input type="checkbox"/> 4 Continuity of care	<input type="checkbox"/> 10 Patient concern	<input type="checkbox"/> 16 Suicide risk
<input type="checkbox"/> 5 Critical value	<input type="checkbox"/> 11 Patient medication	<input type="checkbox"/> 17 Telemetry interruption
<input type="checkbox"/> 6 Diagnostic test/lab	<input type="checkbox"/> 12 PEDS concerning event	<input type="checkbox"/> 18 Telemetry restart

Action: → Notified

Reason notified: \*

Entity attempted/notified: \_\_\_\_\_

Organ procurement referral number: \_\_\_\_\_

Provider attempted/notified: \_\_\_\_\_

Sepsis notification:

PEDS concerning event:

Family member notified: \_\_\_\_\_

Chain of command contact name: \_\_\_\_\_ (Next Page)

*Reason notified* has two new group responses:

- Telemetry interruption
- Telemetry restart

“Disability” was removed from the list of group responses.

This update affects the following interventions/assessments:

Nursing	Surgery
Manage/Refer/Contact/Notify	SURG: Mng/Refer/Contact/Notify Intraop
	SURG: Mng/Refer/Contact/Notify PACU
	SURG: Mng/Refer/Contact/Notify Pre-op

**For more information on care delivery for Telemetry, visit the CSG Nursing Practice site [here](#).**

# OR Basic Position and Equipment



The **Position & Equipment** OR Basic screens have been updated with additional positions and fields to capture key patient information.

Position & Equipment OR Basic

Transferred to OR table via:

1 Air transfer device       7 Slide board  
 2 By roller                       8 With help from staff  
 3 By self  
 4 Multi-person lift  
 5 Overbed lift device  
 6 Remained on bed/stretcher

Transferred to OR table via: >

Transfer comment:

(Next Page)

*Transfer from OR table via* is a new, multi-select field with the following responses:

- Air transfer device
- By roller
- By self
- Multi-person lift
- Overbed lift device
- Remained on bed/stretcher
- Slide board
- With help from staff

Position & Equipment OR Basic

Initial patient position: [or free text]

1 Beach chair                      7 Papoose  
 2 Dependent lateral              8 Prone +  
 3 Fowlers +                          9 Sitting  
 4 Knee chest                        10 Supine +  
 5 Lateral +                          11 Trendelenburg +  
 6 Lithotomy +

Initial patient position: >

Initial position time: \_\_\_\_\_

Initial arm position: \_\_\_\_\_

Initial safety strap: \_\_\_\_\_

Initial position device(s): \_\_\_\_\_


Initial position comment: \_\_\_\_\_

(Prev Page)       (Next Page)

*Initial patient position* has the following new responses:


- Beach chair
- Dependent lateral
- Fowler's +
- Knee chest
- Lateral +
- Lithotomy +
- Papoose
- Prone +
- Sitting
- Supine +
- Trendelenburg +

*Note: The + indicates additional options.*




The 'Fowlers' response has the following options:

- Fowlers
- Fowlers high
- Fowlers low
- Fowlers semi



The 'Lateral' response has the following options:


- Lateral left
- Lateral right
- Lateral semi left
- Lateral semi right



The 'Lithotomy' response has the following options:


- Lithotomy
- Lithotomy high
- Lithotomy low






The 'Prone' response has the following options:

- Prone
- Prone jackknife
- Prone modified



The 'Supine' response has the following options:

- Supine
- Supine frogleg



The 'Trendelenburg' response has the following options:

- Trendelenburg
- Trendelenburg reverse
- Trendelenburg steep

Position & Equipment OR Basic

Third position: [or free text]

1	Beach chair	7	Papoose
2	Dependent lateral	8	Prone +
3	Fowlers +	9	Sitting
4	Knee chest	10	Supine +
5	Lateral +	11	Trendelenburg +
6	Lithotomy +		

Third position:→  
 Third position time:→  
 Third arm position:→  
 Third safety strap:→  
 Third position device(s):→  
 Third position comment:→

(Prev Page)

Position & Equipment OR Basic

Fourth position: [or free text]

1	Beach chair	7	Papoose
2	Dependent lateral	8	Prone +
3	Fowlers +	9	Sitting
4	Knee chest	10	Supine +
5	Lateral +	11	Trendelenburg +
6	Lithotomy +		

Fourth position:→  
 Fourth position time:→  
 Fourth arm position:→  
 Fourth safety strap:→  
 Fourth position device(s):→  
 Fourth position comment:→

(Prev Page)  (Next Page)

Third and Fourth position screens were created for “Additional positions” documentation.

*Note: These screens will automatically skip if the previous position field is not documented.*

Position & Equipment OR Basic

Initial arm position: [or free text]


1	Armboard left/right tuck
2	Armboard right/left tuck
3	Armboards bilateral
4	Arms tucked at chest
5	Arms tucked at sides

Initial patient position:→  
 Initial position time:→  
 Initial arm position:→  
 Initial safety strap:→  
 Initial position device(s):→  
 Initial position comment:→

(Prev Page)  (Next Page)

The *Initial arm position* field has updated responses:

- Armboard left/right tuck
- Armboard right/left tuck
- Armboards bilateral
- Arms tucked at chest
- Arms tucked at sides



The *Initial position device(s)* field has the following new responses:

- Armboard left lateral
- Armboard right lateral
- Patient bed
- Stretcher

'Wrist restraints' has been removed.

This update affects the following interventions/assessments:

Nursing	Surgery
OB OR Record	Post Procedure Documentation
	SURG: Assessment PACU

# Nursing Module

## Injured Trauma Survivor Screen (ITSS)



The ITSS scoring tool was created to meet a new trauma requirement by the American College of Surgeons to assess and address mental health needs of trauma patients. Trauma patients to be screened will be identified by trauma program staff. The patient population to be screened should be patients 15 years old or older, cognitively capable of completing the screening, and admitted into inpatient. Screening should exclude altered mental status and dementia if not stabilization before discharge.

*Please work with your Division/Facility Trauma Coordinator to identify any additional Nurse types (Social Workers, Case Managers, Chaplains, etc) that might need access to this new Intervention (will vary by facility criteria/policy).*

The *Injured Trauma Survivor Screen (ITSS)* has been created.

*Taken medicine for, or been given a mental health diagnosis* has the following responses

- Yes
- No

The Yellow Information Box guides the clinician with key points:

Before this injury:  
Have you ever taken medicine for, or been given a mental health diagnosis?

*Feeling down or hopeless or lost all interest in things you usually enjoy has the following responses*

- Yes
- No

The Yellow Information Box guides the clinician with key points:

Before this injury:  
 Has there ever been a time in your life you have been bothered by feeling down or hopeless or lost all interest in things you usually enjoyed for more than two weeks?

*Did you think you were going to die* has the following responses

- Yes
- No

The Yellow Information Box guides the clinician with key points:

When you were injured or right afterward:  
 Did you think you were going to die?

Injured Trauma Survivor Screen

Feeling down or hopeless or lost all interest in things you usually enjoy:  
 1 1-Yes  
 2 0-No

Before this injury:  
 Has there ever been a time in your life you have been bothered by feeling down or hopeless or lost all interest in things you usually enjoyed for more than two weeks?

Taken medicine for, or been given a mental health diagnosis: 1-Yes \*

Feeling down or hopeless or lost all interest in things you usually enjoy: 0-No \*

Did you think you were going to die: \*

Do you think this was done to you intentionally: \*

Have you felt emotionally detached from your loved ones: \*

Do you find yourself crying and are unsure why: \*

Have you felt more restless, tense, or jumpy than usual: \*

Have you found yourself unable to stop worrying: \*

The world is unsafe and that people are not to be trusted: \*

ITSS PTSD risk: \*

ITSS depression risk: 1-Negative

(End)

Injured Trauma Survivor Screen

Did you think you were going to die:  
 1 1-Yes  
 2 0-No

When you were injured or right afterward:  
 Did you think you were going to die?

Taken medicine for, or been given a mental health diagnosis: 1-Yes \*

Feeling down or hopeless or lost all interest in things you usually enjoy: 0-No \*

Did you think you were going to die: 0-No \*

Do you think this was done to you intentionally: \*

Have you felt emotionally detached from your loved ones: \*

Do you find yourself crying and are unsure why: \*

Have you felt more restless, tense, or jumpy than usual: \*

Have you found yourself unable to stop worrying: \*

The world is unsafe and that people are not to be trusted: \*

ITSS PTSD risk: \*

ITSS depression risk: 1-Negative

(End)

*Do you think this was done to you intentionally* has the following responses

- Yes
- No

The Yellow Information Box guides the clinician with key points:

When you were injured or right afterward:  
Do you think this was done to you intentionally?

*Have you felt emotionally detached from your loved ones* has the following responses

- Yes
- No

The Yellow Information Box guides the clinician with key points:

Since your injury:  
Have you felt emotionally detached from your loved ones?

*Do you find yourself crying and are unsure why* has the following responses

- Yes
- No

The Yellow Information Box guides the clinician with key points:

Since your injury:  
Do you find yourself crying and are unsure why?

Injured Trauma Survivor Screen

**Do you think this was done to you intentionally:**

1 1-Yes  
2 0-No

When you were injured or right afterward:  
Do you think this was done to you intentionally?

Taken medicine for, or been given a mental health diagnosis: >1-Yes \*

Feeling down or hopeless or lost all interest in things you usually enjoy: >0-No \*

Did you think you were going to die: >0-No \*

**Do you think this was done to you intentionally: >** \*

Have you felt emotionally detached from your loved ones: \*

Do you find yourself crying and are unsure why: \*

Have you felt more restless, tense, or jumpy than usual: \*

Have you found yourself unable to stop worrying: \*

The world is unsafe and that people are not to be trusted: \*

ITSS PTSD risk: 0-Negative

ITSS depression risk: 1-Negative

(End)

Injured Trauma Survivor Screen

**Have you felt emotionally detached from your loved ones:**

1 1-Yes  
2 0-No

Since your injury:  
Have you felt emotionally detached from your loved ones?

Taken medicine for, or been given a mental health diagnosis: >1-Yes \*

Feeling down or hopeless or lost all interest in things you usually enjoy: >0-No \*

Did you think you were going to die: >0-No \*

Do you think this was done to you intentionally: >0-No \*

**Have you felt emotionally detached from your loved ones: >** \*

Do you find yourself crying and are unsure why: \*

Have you felt more restless, tense, or jumpy than usual: \*

Have you found yourself unable to stop worrying: \*

The world is unsafe and that people are not to be trusted: \*

ITSS PTSD risk: 0-Negative

ITSS depression risk: 1-Negative

(End)

Injured Trauma Survivor Screen

**Do you find yourself crying and are unsure why:**

1 1-Yes  
2 0-No

Since your injury:  
Do you find yourself crying and unsure why?

Taken medicine for, or been given a mental health diagnosis: >1-Yes \*

Feeling down or hopeless or lost all interest in things you usually enjoy: >0-No \*

Did you think you were going to die: >0-No \*

Do you think this was done to you intentionally: >0-No \*

Have you felt emotionally detached from your loved ones: >1-Yes \*

**Do you find yourself crying and are unsure why: >** \*

Have you felt more restless, tense, or jumpy than usual: \*

Have you found yourself unable to stop worrying: \*

The world is unsafe and that people are not to be trusted: \*

ITSS PTSD risk: 0-Negative

ITSS depression risk: 2-Positive

(End)

*Have you felt more restless, tense, or jumpy than usual* has the following responses

- Yes
- No

The Yellow Information Box guides the clinician with key points:

Since your injury:  
Have you felt more restless, tense, or jumpy than usual?

*Have you found yourself unable to stop worrying* has the following responses

- Yes
- No

The Yellow Information Box guides the clinician with key points:

Since your injury:  
Have you found yourself unable to stop worrying?

*The world is unsafe and that people are not to be trusted* has the following responses

- Yes
- No

The Yellow Information Box guides the clinician with key points:

Since your injury:  
Do you find yourself thinking that the world is unsafe and that people are not to be trusted?

Injured Trauma Survivor Screen

Have you felt more restless, tense, or jumpy than usual:

1 1-Yes  
2 0-No

Since your injury:  
Have you felt more restless, tense, or jumpy than usual?

Taken medicine for, or been given a mental health diagnosis:>1-Yes \*

Feeling down or hopeless or lost all interest in things you usually enjoy:>0-No \*

Did you think you were going to die:>0-No \*

Do you think this was done to you intentionally:>0-No \*

Have you felt emotionally detached from your loved ones:>1-Yes \*

Do you find yourself crying and are unsure why:>0-No \*

Have you felt more restless, tense, or jumpy than usual:>1-Yes \*

Have you found yourself unable to stop worrying: | \*

The world is unsafe and that people are not to be trusted: | \*

ITSS PTSD risk: 0-Negative

ITSS depression risk: 2-Positive

(End)

Injured Trauma Survivor Screen

Have you found yourself unable to stop worrying:

1 1-Yes  
2 0-No

Since your injury:  
Have you found yourself unable to stop worrying?

Taken medicine for, or been given a mental health diagnosis:>1-Yes \*

Feeling down or hopeless or lost all interest in things you usually enjoy:>0-No \*

Did you think you were going to die:>0-No \*

Do you think this was done to you intentionally:>0-No \*

Have you felt emotionally detached from your loved ones:>1-Yes \*

Do you find yourself crying and are unsure why:>0-No \*

Have you felt more restless, tense, or jumpy than usual:>0-No \*

Have you found yourself unable to stop worrying:>1-Yes \*

The world is unsafe and that people are not to be trusted: | \*

ITSS PTSD risk: 0-Negative

ITSS depression risk: 2-Positive

(End)

Injured Trauma Survivor Screen

The world is unsafe and that people are not to be trusted:

1 1-Yes  
2 0-No

Since your injury:  
Do you find yourself thinking that the world is unsafe and that people are not to be trusted?

Taken medicine for, or been given a mental health diagnosis:>1-Yes \*

Feeling down or hopeless or lost all interest in things you usually enjoy:>0-No \*

Did you think you were going to die:>0-No \*

Do you think this was done to you intentionally:>0-No \*

Have you felt emotionally detached from your loved ones:>1-Yes \*

Do you find yourself crying and are unsure why:>0-No \*

Have you felt more restless, tense, or jumpy than usual:>0-No \*

Have you found yourself unable to stop worrying:>1-Yes \*

The world is unsafe and that people are not to be trusted:>1-Yes \*

ITSS PTSD risk: 1-Negative

ITSS depression risk: 2-Positive

(End)



*ITSS PTSD risk* field is calculated from the documentation above and is only editable by changing the prior responses. Each “Yes” response is scored as 1 point and each “No” response is scored as 0 points.

If the sum of questions 3,4,7,8,9 is equal to or greater than 2, the screen is positive for PTSD risk.

The Yellow Information Box guides the clinician with key points:

Greater than or equal to 2 is positive for PTSD risk

*ITTS depression risk* field is calculated from the documentation above and is only editable by changing the prior responses. Each “Yes” response is scored 1 point and each “No” response is scored as 0 points.

If the sum of questions 1,2,3,5, and 6 is equal to or greater than 2, the screen is positive for depression risk.

The Yellow Information Box guides the clinician with key points:

Greater than or equal to 2 is positive for depression risk

Injured Trauma Survivor Screen

**ITSS PTSD risk:**  
Greater than or equal to 2 is positive for PTSD risk

Taken medicine for, or been given a mental health diagnosis: >1-Yes \*

Feeling down or hopeless or lost all interest in things you usually enjoy: >0-No \*

Did you think you were going to die: >0-No \*

Do you think this was done to you intentionally: >0-No \*

Have you felt emotionally detached from your loved ones: >1-Yes \*

Do you find yourself crying and are unsure why: >0-No \*

Have you felt more restless, tense, or jumpy than usual: >0-No \*

Have you found yourself unable to stop worrying: >1-Yes \*

The world is unsafe and that people are not to be trusted: >1-Yes \*

ITSS PTSD risk: >2Pos

ITSS depression risk: |2-Positive

(End)

Injured Trauma Survivor Screen

**ITSS depression risk:**  
Greater than or equal to 2 is positive for depression risk

Taken medicine for, or been given a mental health diagnosis: >1-Yes \*

Feeling down or hopeless or lost all interest in things you usually enjoy: >0-No \*

Did you think you were going to die: >0-No \*

Do you think this was done to you intentionally: >0-No \*

Have you felt emotionally detached from your loved ones: >1-Yes \*

Do you find yourself crying and are unsure why: >0-No \*

Have you felt more restless, tense, or jumpy than usual: >0-No \*

Have you found yourself unable to stop worrying: >1-Yes \*

The world is unsafe and that people are not to be trusted: >1-Yes \*

ITSS PTSD risk: >2-Positive

ITSS depression risk: >2Pos

(End)



# Patient/Family Teaching



Updating group response to include more options for Bowel/Gastric, Respiratory and Infant/Pediatric Care.

The screenshot shows the 'Patient/Family Teaching' window with a list of physiological topics. The 'Respiratory' topic (8) is selected. A 'Respiratory' Lookup dialog box is open, displaying a list of options. The option '10 Sleep apnea information' is highlighted.

Topic	Subtopic
1	Breathing exercises
2	Chest physiotherapy
3	Inhalation therapy
4	Oxygen therapy
5	Pulmonary care
6	Tracheostomy care
7	Ventilator care
8	Pillow splinting
9	Positioning (post. draining)
10	Sleep apnea information

*Physiological topics* has updated the 'Respiratory' subset with the following response:

- Sleep apnea information

The screenshot shows the 'Patient/Family Teaching' window with a list of physiological topics. The 'Bowel/gastric' topic (1) is selected. A 'Bowel/gastric' Lookup dialog box is open, displaying a list of options. The option '7 Bowel incontinence care' is highlighted.

Topic	Subtopic
1	Bowel care
2	Bowel training
3	Diarrhea care
4	Disimpaction
5	Enema
6	Gastric care
7	Bowel incontinence care
8	Nausea care
9	Bowel ostomy care
10	Bowel ostomy irrigation

*Physiological topics* has updated the 'Bowel/gastric' subset with the following response:



- Bowel incontinence care


*Physiological topics* has updated the 'Urinary' subset with the following response:

- Bladder incontinence care

*Functional topics* has updated the 'Infant/pediatric care' subset with the following response:

- Infant/pediatric security





*Discharge/Health behavior topics has been changed to Health behavior topics.*


This field has an updated group response:

- 'Discharge' has been changed to 'Condition specific'

## Telemetry Application/Discontinuation



The telemetry documentation has been updated to support the overall enterprise patient safety goal for timely application of the telemetry monitor.



Once the provider enters the Telemetry Initial Order, the telemetry orderable intervention will populate to the patient's intervention list.

The new **Telemetry Application/Discontinuation** intervention falls at the top of the intervention list under a **Telemetry** header.

Current Date/Time SB 1: 04 of 159

Document	View	Order	Add	Allergy	Change	Change	≥More
Now	History	Detail	Interv	Link	Directions	Level	
Patient	J00021257116	DENO, SBINKLEY	Status	ADM IN	Room	J. IRF	
RESUSCITATION STATUS			Admit	04/20/20	Bed	29	
Attend Dr	DR. TERESA	SARTAIN, TERESA MD	Age/Sex	43 F	Loc	J. IRF	
Start Date	08/30/23	at 0000	End Date	08/30/23	at 2359	Med Edit	03/04 0001 Unit# J000442100
Include	A	AS,CP,NO,OE,PS	1:99	3L	ALL	INT	Acuity

The intervention allows the clinician to review the provider's order.

Select 'Return' to continue to review the order.

Care Items Sts. Frequency OD Doc. Src. D/C/N/KL/Prt

View Order Detail: Telemetry Application/Discontinuation +

48 hour indication(s): Chest pain

Other indication:

Review by date: 09/01/23

Item	Sts.	Frequency	OD	Doc.	Src.	D/C/N	KL	Prt
-CRITICAL TESTING	A		old	PS				
Telemetry								
-Telemetry Application/Discontinuation +	A	.{2024.1}	*	OE				
History								
-Admission Health History +	A	.2021.2		old	PS	D		
-Admission Health History +	A	.2022.2		old	PS	D		
-Health History Update +	A	.2021.2		old	PS			
-COVID-19 Vaccine Screening Assessment +	A	.Input attached...		old	PS			
-BH: Health History Assessment +	A	.2021.2		old	PS			
-BH RECOVERY PLAN (HCRAEBPCB0000A)	A			PS				

1: 04 of 159

Document	View	Order	Add	Allergy	Change	Change	≥More
Now	History	Detail	Interv	Link	Directions	Level	
Patient	J00021257116	DENO, SBINKLEY	Status	ADM IN	Room	J. IRF	
RESUSCITATION STATUS			Admit	04/20/20	Bed	29	
Attend Dr	DR. TERESA	SARTAIN, TERESA MD	Age/Sex	43 F	Loc	J. IRF	
Start Date	08/30/23	at 0000	End Date	08/30/23	at 2359	Med Edit	03/04 0001 Unit# J000442100
Include	A	AS,CP,NO,OE,PS	1:99	3L	ALL	INT	Acuity

Review by time: 1040

Process Care Items

Current Date/Time SB

Document	View	Order	Add	Allergy	Change	Change	≥More
Now	History	Detail	Interv	Link	Directions	Level	
Patient	J00021257116	DENO, SBINKLEY	Status	ADM IN	Room	J. IRF	
RESUSCITATION STATUS			Admit	04/20/20	Bed	29	
Attend Dr	DR. TERESA	SARTAIN, TERESA MD	Age/Sex	43 F	Loc	J. IRF	
Start Date	08/30/23	at 0000	End Date	08/30/23	at 2359	Med Edit	03/04 0001 Unit# J000442100
Include	A	AS,CP,NO,OE,PS	1:99	3L	ALL	INT	Acuity

Item	Sts.	Frequency	OD	Doc.	Src.	D/C/N	KL	Prt
-CRITICAL TESTING	A		old	PS				
Telemetry								
-Telemetry Application/Discontinuation +	A	.{2024.1}	*	OE				
History								
-Admission Health History +	A	.2021.2		old	PS	D		
-Admission Health History +	A	.2022.2		old	PS	D		
-Health History Update +	A	.2021.2		old	PS			
-COVID-19 Vaccine Screening Assessment +	A	.Input attached...		old	PS			
-BH: Health History Assessment +	A	.2021.2		old	PS			
-BH RECOVERY PLAN (HCRAEBPCB0000A)	A			PS				

Care Items Sts. Frequency OD Doc. Src. D/C/N/KL/Prt

View Order Detail: Telemetry Application/Discontinuation +

Initiate nurse driven protocol for removal:

Special instructions: MAY REMOVE FOR BATHING

Item	Sts.	Frequency	OD	Doc.	Src.	D/C/N	KL	Prt
-CRITICAL TESTING	A		old	PS				
Telemetry								
-Telemetry Application/Discontinuation +	A	.{2024.1}	*	OE				
History								
-Admission Health History +	A	.2021.2		old	PS	D		
-Admission Health History +	A	.2022.2		old	PS	D		
-Health History Update +	A	.2021.2		old	PS			
-COVID-19 Vaccine Screening Assessment +	A	.Input attached...		old	PS			
-BH: Health History Assessment +	A	.2021.2		old	PS			
-BH RECOVERY PLAN (HCRAEBPCB0000A)	A			PS				

Telemetry Application/Disconti

Telemetry application date:

Calendar Del

Yesterday

Today

Tomorrow

Telemetry application date: 08/30/23\*

Telemetry application time: \*

The Telemetry application date is a required field utilizing the calendar function.

This cannot be a future date.

Telemetry Application/Disconti

Telemetry application time:

? 8 9 Del

4 5 6

1 2 3

0 Now

Telemetry application date: 08/30/23\*

Telemetry application time: \*

Telemetry box number: \_\_\_\_\_


Telemetry discontinued date: \_\_\_\_\_

Telemetry discontinued time: \_\_\_\_\_

(End)

The Telemetry application time is a required field utilizing the keypad function and cannot be a future time.

*Note: This date and time will auto-populate on subsequent entries to the intervention until after a discontinuation is entered.*




The *Telemetry box number* field is free text enabled and allows for alpha-numeric characters. This field can be edited in subsequent entries.

*Note: The Telemetry discontinued date and Telemetry discontinued time should be skipped upon initial documentation.*

*Note: If a Telemetry Renew Order is placed, the clinician will acknowledge the order; however, no action is needed by the nurse within the Telemetry application/discontinue intervention.*

## Discontinue



Once the clinician acknowledges the **Telemetry Discontinue order** the provider has placed and enters into the intervention, the *Telemetry application date* and *time* will auto-populate as shown.

The *Telemetry box number* will also auto-populate.

The *Telemetry discontinued date* field utilizes the calendar function.

The *Telemetry discontinued time* field utilizes the keypad function.

## Completing the Intervention

The top screenshot shows the 'Process Care Items' window for patient J00021390549. The 'Change Level' button is highlighted with a red box. The bottom screenshot shows the same window with the 'Change Status' button highlighted with a red box.

After discontinuing the telemetry monitor, the clinician needs to complete the intervention.

Select 'More' in the verb strip.

Select the Telemetry intervention and 'Change Status' in the verb strip.


The 'Change Status' dialog box shows patient information for J00021390549. The 'Status' field is highlighted with a red box and contains the letter 'A'.

The Change Status alert appears.

The clinician will press F9 to see the Choices under Status.

Select 'C' for Complete.

The 'Choices' dialog box displays a list of letters: A, C, H, I, X. The letter 'C' is highlighted with a red box.



Select 'Yes' to File the documentation.

This will take the clinician back to the interventions list.

This list must be refreshed to acknowledge the change in status.

*Note: If a second Initial Telemetry order is placed, a new Telemetry intervention will populate on the intervention list.*

Process Care Items		Current Date/Time SB		I: 0/ of 8					
Document Now	View History	Order Detail	Add Interv	Allergy Link	Change Directions	Change Level	>More		
Patient	J00021390549	DEMO, ELI	Status	ADM IN	Room	J.117			
RESUSCITATION STATUS			Admit	05/05/22	Bed	I			
Attend Dr	DR. TERESA SARTAIN, TERESA MD		Age/Sex	45 M	Loc	J.1W			
Start Date	09/20/23 at 0000	End Date	09/20/23 at 2359	Med Edit	Unit#	J000450034			
Include	A AS,CP,MD,OE,PS 1:99 3L ALL INT		Acuity						
Care Items	Sts	Frequency	OD	Doc	Src	D	C/N	KI	Prt
Assessments									
-Admission/Shift Assessment +	A	.2023.1			PS				
-Safety/Risk/Regulatory +	A	.2023.1		old	PS				
Routine Care									
-Lines/Drains/Airways +	A	.2022.3		old	PS				
-Instructor/Preceptor Review +	A	.2023.1.1 New I...			PS				
-Manage/Refer/Contact/ Notify +	A	.2024.1		ld	PS				
Surgical Services									
-SURG: Instruct/Precept Review Pre-op +	A	.2023.1.1 New I...			PS				
-SURG: Instruct/Precept Review Intra-op +	A	.2023.1.1 New I...			PS				
-SURG: Instruct/Precept Review PACU +	A	.2023.1.1 New I...			PS				

For more information on care delivery for Telemetry visit the CSG Nursing Practice site [here](#).

# ED Module

## EMS Sepsis Fluid



The “Medication/treatments prior to arrival” has been updated to add response “Fluids pre-arrival” which allows the documentation of volume infused pre-arrival, start and stop time of fluids. In order to meet CMS Sepsis metrics, the clinicians must now document pre-arrival fluid fields.

Rapid Initial Assessment

Patient: Testing, Bink - 37/F      J00021470295  
 Date: 09/25/23    Time: 1024    User: TEDLVE9588

Medications/treatments prior to arrival: [or free text]

<input type="checkbox"/> 1 None	<input type="checkbox"/> 7 Aspirin	<input type="checkbox"/> 13 Direct pressure
<input type="checkbox"/> 2 ACLS drugs	<input type="checkbox"/> 8 CPR	<input type="checkbox"/> 14 Dressing
<input type="checkbox"/> 3 Ace wrap	<input type="checkbox"/> 9 Cardiac monitor	<input type="checkbox"/> 15 Ear irrigation
<input type="checkbox"/> 4 Analgesics	<input type="checkbox"/> 10 C collar	<input type="checkbox"/> 16 Fingertick blood glucose
<input type="checkbox"/> 5 Antipyretics	<input type="checkbox"/> 11 Cooling measures	<input checked="" type="checkbox"/> 17 Fluids pre arrival
<input type="checkbox"/> 6 Antivenom	<input type="checkbox"/> 12 D50	<input type="checkbox"/> 18 or <F9> For More Options

Link to RFID:  Yes  
 First Point of Contact:  No  
 Enter/Edit Allergies:  Yes\*  
 Currently enrolled in CA program:  Yes  
 CA program reason: Narcotic and risk  
 Arrived by: AMB \*  
 EMS service: MUSIC CITY\*MUSIC CITY AMBULANCE  
 Other EMS service:

Medications/treatments prior to arrival: Fluprearr

(Next Page)

OK      Cancel

*Medications/treatments prior to arrival* have a new response:

- Fluids pre arrival

D5W and Lactated Ringers have been removed from the response options.



*Pre-arrival infusion, stop date and stop time will only be available when the 'Fluids pre arrival' response is selected.*

***Note:** These fields are only located on the **Rapid Initial Assessment** if the 'Fluids pre arrival' response is selected.*

This update affects the following interventions/assessments:

Emergency Department	
Rapid Initial Assessment	Detailed Assessment
EMS Pre-Arrival	Non-Urgent General Focus

## Location Incident Occurred Field Update



The *Location incident occurred* field allowed for minimal character entry and the clinician was unable to document accurate details pertaining to the location the incident occurred. The multi-select field now allows for additional character entry.

Assault Victims of Abuse

Patient: \_\_\_\_\_

Date: 08/28/23 Time: 0906 User: \_\_\_\_\_

OK Location incident occurred: [for free text]

1 Unknown                       7 Neighbors residence  
 2 Day care/nursery             8 Nursing home  
 3 Place of employment         9 Patients residence  
 4 Family's residence             10 School  
 5 Jail  
 6 Neighborhood

Presenting signs/symptoms: > \_\_\_\_\_

Initial onset of signs/symptoms: \_\_\_\_\_

Time of incident: \_\_\_\_\_

Location incident occurred: > \_\_\_\_\_

Aware of community services: \_\_\_\_\_

(Next Page)

OK Cancel

The *Location incident occurred* field has been updated to multi-select fields.

This update affects the following assessments:

Emergency Department
Bite Human/Animal
Victim of Assault Abuse

This page intentionally left blank.