# MEDITECH Expanse TIP SHEET PHA



#### Protamine Ordering-Protocol Review

No Known Drug Allergies     Allergies       pineapple     Adv       0 of 5 Selected     Image: Selected       Image: Selected     Image: Selected	ype Severity Reaction rgy Unknown Reac Unknown Instructions Status MG IV ONCE ONE Unverified	Source S P OM - GARY.TE	atient Li ielect Pa iext Pati atient Pi	Protamine orders will have a Protocol attached that calculates the dose based off the options selected by the provider.
U000001516     View Order Data     aspirin     aspirin     FM000     FM000	tionated Heparin of heparin: 0.5 mg ven (units): 7500 noxaparin: given (mg): protamine IV once pulate calculated dose on order. arin Reversal heparin administration or infusion sto 100 units heparin given as a bolus or heparin during the last 2 hours of inf parin administration or infusion stoppe er 100 units heparin given as a bolus o heparin during the last 2 hours of inf	pped dr r	Î	From the Patient Profile, clicking on the lower case "i" will display the protocol information attached to the order.
Medication Taper Protoco	Chemo] Comments] Instructions] Querie	s Screenings Provider		During order verification, selecting the Protocol tab will display the entire protocol.
Protamine dose (mg): Reversal of: Dosing per 100 units of heparin: Amount of heparin given (units): Dosing per 1 mg of enoxaparin: Amount of enoxaparin given (mg): •	37.5 Untraction 0.5 mg 7500 Max dose of 50 mg protamine IV once Provider please populate calculated dos		Ŀ	*Note there are 2 pages to this protocol. The calculated Protamine dose (mg) can be found at the beginning of the protocol.
Edit	View Protocol Queries	Cancel	Save	

Error S Update dose to calculated protamine dose (37.5 mg) in protocol.	When filing the order, a rule will direct the pharmacist to update the Dose to match the Calculated Dose in the protocol.
<u>C</u> lose	*Note, this rule will prevent the order from auto verification in the EDM.
Medication       Taper       Protocol       Chemo       Comments       Instructions       Queries       Screenings       Provider         Rx Number       U000001516       protamine 50 mg/5 mL Vial       PROT10VI       Image: Checking       PROT10VI       Image: Checking       Image: Checking	The pharmacist must update the 'O' dose to the dose calculated in the protocol to File the order.
*Start Date] *Time Total Doses Bulk *Dose Low] High *Route *Inventory *Schedule] Par Level] PRN Reason Cart Amount Use Label Comments Label Comments	
View Provider Order Details Cancel Save	

# MEDITECH Expanse TIP SHEET Pharmacy Estimated Weight Alert



#### Verifying Weight-Based Dosing Orders When the Patient's Weight is Estimated

<ul> <li>Height/Weight Measurements</li> <li>Height source</li> <li>Weight</li> <li>*Adult weight source</li> <li>Weight change gm</li> </ul>	Stated/Reported ○ Measured ○ Estimated     73.1 kg     ○ Bed scale ● Estimated ○ Pediatric emergency tape ○ Sling scale     ○ Chair scale ○ Infant scale ○ Refused ○ Standing scale	When documenting the patient's weight in the Vital Signs>Height/Weight Measurements, the nurse can select "Estimated" as the Adult weight source.
Message	TH       Ordered Rate       5 MCG/KG/MIN         * Rate       13.86 MLS/HR         * Duration       18 HR 3 MIN         Ordered Vol       250         CURRENT       Total Vol         Please pend the order and confirm the patient's weight before using in         Close	When verifying a weight-based medication order, if "Estimated" has been selected as the source of the last documented patient weight in PCS, the pharmacist will receive an alert. The alert will instruct the pharmacist to pend the order and verify the patient's weight. The pharmacist should click "Close" to pend the order and confirm the patient's weight before verifying the order.

## MEDITECH Expanse TIP SHEET Pharmacy



#### Hypoglycemia Protocol Not Ordered Rule-Updated

Rx Number	NEW	insulin regul	ar, human (Hı	imuLIN R) 100	unit/mL (10	mL) Vial
Medication	INSU20V7	HumuLI				
Order Type	M Medication					
Clinical Ind  Dosing Wt						CURRENT
NOTE:	Dose Range Ch	necking is not sup	ported for Ze	ro/Ranged dos	e orders.	
Dose	1		UNIT	0.01 ML PE	R DOSE	
Range Dose Low  High						
Route	S	LIBO	Subci	Itapoolus		
Frequency Error					×	
Schedule   Par Le						
	Dationt doos	not have Hypogl	vcomic Modic	ation on Profile		
••••	ratione does	not nave nypogi	yeenne ricule			
Start Date   * Time						
Total Doses						
iotar b obco						

All patients receiving scheduled Insulin, should have Hypoglycemia rescue medications available to them.

A rule has been created to alert the pharmacist when a patient does not have at least ONE of the following medications (Active or Unverified) present on their profile.

Dextrose 4 mg Tablet Dextrose 40% (Glutose) Gel Dextrose 50% Inj Glucagon Inj Dextrose 10%

You will not be able to File the order until a Hypoglycemia Protocol medication is entered onto the profile.

This rule is excluded from ED orders doses and any order less than or equal to 10 units.

# MEDITECH Expanse TIP SHEET Partial Form Rule-Updated to Appear in Audit Trail



#### Entering or Verifying an Order Requiring a Partial Tablet or Capsule

				<b>Partial Form</b> rule will now be recorded in the
- Rules				Rx Audit Trail.
- PHA	Date-Time	User	Evaluated At	KX Abdit ITall.
PHA Partial Dose Alert	09/10/24-0917	GT05204	FILE	<b>-</b>
	de 40 mg Tablet			This rule triggers for any order with a <b>decimal</b> in the <b>Per</b> <b>Dose field</b> and whose <b>form contains "Tab" or</b>
* Medication FURO40TA54 Lasix * Order Type M	Medication			"Cap". This includes all
Clinical Ind   Dosing Wt	Medication	100	KG CURRENT	regular, ER, XR, SL,
		(2) 1 1		etc. tablets and
NOTE: Dose Range Checking is not * Dose	supported for Zero/	0.5 TabletS PE		capsules.
Range Dose Low  High	MO	0.5 Tablets PE	K DOSE	The rule will evaluate
* Route PO	Oral			
				when filing the order and evaluates for all
				routes, frequencies,
				and schedules.
				If the <b>Dose</b> results in a <b>partial form</b> (0.5
Confirmation	vranciata dispansa farr	n to roduce the ne	ed for colitting	tablet, 0.25 Capsule,
Continue?	i opriate dispense for	in to reduce the he	ed for spitting.	etc.) a <b>Yes/No</b>
				<b>Confirmation</b> message
Yes	No			will display.
				Answer <b>Yes</b> to approve
				the order and continue to
				file.
				Answer <b>No</b> to return to
				the order and make edits.
				Selection defaults to <b>No</b>
				to prevent accidental
				approval.

