

# MEDITECH Expanse TIP SHEET

## New Charges Added for Acute and OP Therapy



### Acute PT Therapy

▼ Timed Therapy Treatments

PT therapies provided this session

- PT electric stimulation
- PT gait training
- PT manual therapy
- PT massage therapy
- PT neuromuscular re-education
- PT orthotics fitting and training
- PT orthotics subsequent visits
- PT physical performance test/measurement
- PT prosthetic fitting and training
- PT sensory integration
- PT therapeutic activity
- PT therapeutic exercise
- PT training self home
- PT ultrasound
- PT wheelchair management

- PT Timed Therapies:**  
Added “PT Physical performance test/measurement”.

### Before

▼ PT Wound Therapy

PT wound therapy

- Debridement
- Negative pressure 50 cm or less
- Negative pressure > 50 cm
- Removal of devitalized tissue
- Unna boot, 1 leg
- Unna boot, 2 legs

- PT wound therapy question** is replaced with another question with more therapies applicable to wounds.

### After

▼ PT Wound Therapy

PT wound therapy

- PT apply a multilayer compression system below knee, bilateral
- PT apply a multilayer compression system below knee, left
- PT apply a multilayer compression system below knee, right
- PT apply a multilayer compression system upper extremity, bilateral
- PT apply a multilayer compression system upper extremity, left
- PT apply a multilayer compression system upper extremity, right
- PT apply rigid total contact leg cast, bilateral
- PT apply rigid total contact leg cast, left
- PT apply rigid total contact leg cast, right
- PT debridement
- PT negative pressure 50 cm or less (disposable NON-DME)
- PT negative pressure 50 cm (nondisposable DME)
- PT negative pressure > 50 cm (disposable NON-DME)
- PT negative pressure > 50 cm (nondisposable DME)
- PT removal of devitalized
- PT unna boot, bilateral
- PT unna boot, Left
- PT unna boot, right

- Added PT burn therapy.**

### New PT Burn Therapy Charges

▼ PT Burn Therapy

PT burn therapy

- Dress/debride burn large; > 10% of total body surface area
- Dress/debride burn medium; 5-10% of total body surface area
- Dress/debride burn small; less than 5% of total body surface area

## Acute OT Therapy

OT Timed Therapy Treatments

OT Therapies provided this session

- OT biofeedback training
- OT cognitive skills
- OT community/work integration
- OT contrast bath
- OT electric stimulation
- OT manual therapy
- OT massage therapy
- OT neuromuscular reeducation
- OT orthotics fitting and training
- OT orthotics subsequent visits
- OT physical performance test/measurement
- OT prosthetics fitting and training
- OT sensory integration
- OT therapeutic activity
- OT therapeutic exercise
- OT training self home
- OT ultrasound
- OT wheelchair management

OT Untimed Therapy Treatments

OT untimed therapies provided this session

- OT canolith
- OT electric stimulation for wound care
- OT electric stimulation unattended not wound care
- OT group caregiver training
- OT group therapy
- OT paraffin bath
- OT vasopneumatic devices
- OT whirlpool

OT Wound Therapy

OT wound therapy

- Apply a multilayer compression system below knee, bilateral
- Apply a multilayer compression system below knee, left
- Apply a multilayer compression system below knee, right
- Debridement
- Removal of devitalized tissue

4. **OT Timed Therapies:** “OT biofeedback training”, “OT contrast bath”, and “OT physical performance test/measurement” will be added.

5. **OT Untimed Therapies:** Added “OT vasopneumatic device”.

6. **OT wound therapy:** Added “Apply a multilayer compression system below knee, bilateral”, “Apply a multilayer compression system below knee, left”, and “Apply a multilayer compression system below knee, right”.

## Acute SLP Therapy

Treatment Type  
 \*Treatment Type

- None
- Dysphagia Treatment
- Speech-language treatment
- SLP group caregiver training
- SLP group therapy
- SLP therapeutic services associated with speech generating device

Timed Therapy Treatments  
 SLP therapies provided this session

- SLP cognitive treatment
- SLP electric stimulation
- SLP manual therapy
- SLP self/home training

7. **Treatment Type:** Added “SLP group therapy” and “SLP therapeutic services associated with speech generated device”.

8. **SLP Timed Therapies:** Added “SLP manual therapy”, and “SLP electric stim”.

## OP PT Therapy

### Before

PT Wound Therapy  
 PT wound therapy

- Debridement
- Negative pressure 50 cm or less
- Negative pressure > 50 cm
- Removal of devitalized tissue
- Unna boot, 1 leg
- Unna boot, 2 legs

### After

PT Wound Therapy  
 PT wound therapy

- PT apply a multilayer compression system below knee, bilateral
- PT apply a multilayer compression system below knee, left
- PT apply a multilayer compression system below knee, right
- PT apply a multilayer compression system upper extremity, bilateral
- PT apply a multilayer compression system upper extremity, left
- PT apply a multilayer compression system upper extremity, right
- PT apply rigid total contact leg cast, bilateral
- PT apply rigid total contact leg cast, left
- PT apply rigid total contact leg cast, right
- PT debridement
- PT negative pressure 50 cm or less (disposable NON-DME)
- PT negative pressure 50 cm (nondisposable DME)
- PT negative pressure > 50 cm (disposable NON-DME)
- PT negative pressure > 50 cm (nondisposable DME)
- PT removal of devitalized
- PT unna boot, bilateral
- PT unna boot, Left
- PT unna boot, right

9. **PT wound therapy question** is replaced with another question with more therapies applicable to wounds.

## New PT Burn Therapy Charges

PT Burn Therapy	<input type="radio"/> Dress/debride burn large; > 10% of total body surface area
PT burn therapy	<input type="radio"/> Dress/debride burn medium; 5-10% of total body surface area
	<input type="radio"/> Dress/debride burn small; less than 5% of total body surface area

## New PT Work Hardening/Conditioning

PT Work Hardening/Conditioning Minutes/Units	
*PT work hardening/conditioning minutes	
*PT work hardening/conditioning units	

## OP OT Therapy

OT Wound Therapy	<input type="checkbox"/> Apply a multilayer compression system below knee, bilateral
OT wound therapy	<input type="checkbox"/> Apply a multilayer compression system below knee, left
	<input type="checkbox"/> Apply a multilayer compression system below knee, right
	<input type="checkbox"/> Debridement
	<input type="checkbox"/> Removal of devitalized tissue

10. Added **PT burn therapy**.

11. Added **PT work hardening/conditioning therapy**.

12. **OT wound therapy:**  
Added “Apply a multilayer compression system below knee, bilateral”, “Apply a multilayer compression system below knee, left”, and “Apply a multilayer compression system below knee, right”.

## OP SLP Therapy

▼ Treatment Type

*Treatment Type	<input type="checkbox"/> None
	<input type="checkbox"/> Dysphagia Treatment
	<input type="checkbox"/> Speech-language treatment
	<input type="checkbox"/> SLP group caregiver training
	<input type="checkbox"/> SLP group therapy
	<input type="checkbox"/> SLP therapeutic services associated with speech generating device

▼ Timed Therapy Treatments

SLP therapies provided this session	<input type="checkbox"/> SLP cognitive treatment	<input type="checkbox"/> SLP manual therapy	<input type="checkbox"/> SLP sensory integration
	<input type="checkbox"/> SLP electric stimulation	<input type="checkbox"/> SLP self/home training	

13. **Treatment Type:** Added “SLP group therapy” and “SLP therapeutic services associated with speech generated device”.

14. **SLP therapies:** Added “SLP manual therapy”.