Telemetry Monitoring

2024.1

Update

Telemetry Application/Discontinuation

Problem Summary: With the initial implementation of the CSIP Telemetry initiative, documentation of telemetry monitoring start/stop did not align with nursing workflow, resulting in end-user confusion in the documentation of accurate start/discontinue dates/times. Despite best practice guidelines for re-evaluating the patient every 48 hours for clinical necessity by the provider, continuous telemetry monitoring orders are being submitted.

Solution Summary: Remove the continuous telemetry monitoring option from the provider order for Initial Telemetry Monitoring. Create a new standard Renew 48-hour Telemetry Monitoring order. The placement of the initial 48-hour telemetry monitoring order will generate an orderable intervention on the nurse's worklist for accurate capture of the application date/time and discontinuation date/time. The Manage, Refer, Contact, Notify will only have options for Telemetry interruption and Telemetry Restart.



- • • • Current Orders	Category V	© Ordering Provider	Start	Renew/Stop	@ Status
Admission [Admission Status] STAT	ADT	Cosign01 Provider	08/28/23 11:04		Activo
- Care	ADT	cosigno1, Provider	00/20/25 11:04		Active
Maita's Test Order 1 Routine	Care	Hospitalist01, Provider	04/21/23 13:06		Ordered
Telemetry Monitoring - Nurse Assessment ONCE	Care	Attending01, Provider, MD	01/11/24 12:22		Ordered
- Dietary					
Cardiac/Heart Healthy Diet	Diet	MT, MEDITECH	08/11/23 14:30 Dinner		Ordered
Renewables					
Telemetry Monitoring - 48 hour ONCE	Renewables	Attending01, Provider, MD	01/11/24 12:09	01/13/24 12:09	Ordered



Look ahead 8 💲	hours							Application/Discontinua
Care Item	17 61	0	Last	Status/	Today	NOW		on intervention will be
Ao Tele Application/Discontinuat	ion + ONCE		Done	-6m	(1)	~		displayed on the worklist
A Advance Directive Followup	OSHIFT	(A)						. ,
A Clinical Reassessment	OSHIFT	A						
A Comprehensive Assessment	ONCE	P						
A Discharge Vaccination Status								
A Fall Risk	Q12	AP						
A First Point of Contact	ONCE							
A Health History	ONCE	P						
Height & Weight	ONCE							
A Intake and Output (I&O)	QSHIFT	A						
A Intravascular Access/Saline Lo	ock PRN Nur	AP						
Manage-Refer-Contact-Notify	PRN Nur							
Medical Device Related Protoc	col Q12							
Pain Assessment	PRN Nur							
Routine Care	DAILY							
Routine Safety Precautions	RND	P				1		
Sepsis Assessment	Q12	AP				1000		
Shift Activity	SHIFTCHG	P						
Skin Risk Assessment	QSHIFT	-						
	DOM AL							
Sleep Apnea Screening	PRN Nur							
A Sleep Apnea Screening A Sleep Apnea Screening	PRN Nur PRN Nur							
A Sleep Apnea Screening A Sleep Apnea Screening A Teach	PRN Nur PRN Nur PRN Nur							
A Sleep Apnea Screening A Sleep Apnea Screening A Teach A Vital Sign	PRN Nur PRN Nur PRN Nur QSHIFT							
A Sleep Apnea Screening A Sleep Apnea Screening A Teach A Vital Sign Interventions Tele Application/Discontinuation + ONCE Assessments Telemetry Application/Discontinuation	PKN Nur PRN Nur QSHIFT		Thu	ı Jan 11 12:28 ✓			•	The intervention has two required fields for the Application: DATE and TIME .
A Sleep Apnea Screening A Sleep Apnea Screening A Teach A Vital Sign Interventions Tele Application/Discontinuation + ONCE Assessments Telemetry Application/Discontinuation Felemetry Application/Discontinuation Telemetry Application/Discontinuation	PKN Nur PRN Nur QSHIFT		Thu	ı Jan 11 12:28 ✓			•	The intervention has two required fields for the Application: DATE and TIME .
Sleep Apnea Screening Sleep Apnea Screening Sleep Apnea Screening Teach Vital Sign Interventions Tele Application/Discontinuation + ONCE Assessments Telemetry Application / Discontinuation Telemetry Application date Telemetry Application date Telemetry Application date	PKN Nur PRN Nur QSHIFT		Thu	ı Jan 11 12:28 ✓			•	The intervention has two required fields for the Application: DATE and TIME .
A Sleep Apnea Screening A Sleep Apnea Screening A Teach A Vital Sign Interventions Tele Application/Discontinuation + ONCE Assessments Telemetry Application / Discontinuation Telemetry Application Telemetry application date *Telemetry application time	PKN Nur PRN Nur QSHIFT		Thu	ı Jan 11 12:28 ✓			•	The intervention has two required fields for the Application: DATE and TIME . Staff can use the free te
A Sleep Apnea Screening A Sleep Apnea Screening A Teach A Vital Sign Interventions Tele Application/Discontinuation + ONCE Assessments Telemetry Application Telemetry Application Telemetry application date *Telemetry application time Telemetry box Telemetry box	PKN Nur PRN Nur QSHIFT		Thu	iJan 11 [2:28 ✓			v	The intervention has two required fields for the Application: DATE and TIME . Staff can use the free te field to enter a Telemetr
A Sleep Apnea Screening A Sleep Apnea Screening A Teach A Vital Sign Interventions Tele Application/Discontinuation + ONCE Assessments Telemetry Application / Discontinuation Telemetry Application / Discontinuation Telemetry Application date *Telemetry Box Telemetry Box Telemetry box number Telemetry box number Telemetry box number	PKN Nur PRN Nur QSHIFT		Thu	ı Jan 11 12:28 ✓			• •	The intervention has two required fields for the Application: DATE and TIME . Staff can use the free te field to enter a Telemetr
A Sleep Apnea Screening A Sleep Apnea Screening A Teach A Vital Sign Interventions Tele Application/Discontinuation + ONCE Assessments - Telemetry Application /Discontinuation = Telemetry Application date *Telemetry application date *Telemetry box number = Telemetry dostinuation	PKN Nur PRN Nur QSHIFT		Thu	ı Jan 11 12:28 ✓				The intervention has two required fields for the Application: DATE and TIME . Staff can use the free te field to enter a Telemetr Box number .
Sleep Apnea Screening Sleep Apnea Screening Sleep Apnea Screening Teach Vital Sign Interventions Tele Application/Discontinuation + ONCE Assessments Telemetry Application / Discontinuation Telemetry Application date *Telemetry Application time Telemetry Box Telemetry Discontinuation Telemetry Discontinuation Telemetry discontinued date Telemetry discontinued time	PKN Nur PRN Nur QSHIFT		Thu	ı Jan 11 12:28 ✓			v v v	The intervention has two required fields for the Application: DATE and TIME . Staff can use the free te field to enter a Telemetr Box number .







Interventions Tele Application/Discontinuation + ON	ICE	~	
 Assessments Telemetry Application/Discontinuati Telemetry Application 	on	v	
Telemetry application date Telemetry application time	01/22/24 10:25		
 Telemetry Box Telemetry box number Telemetry Discontinuation 	Box 1258		
Telemetry discontinued date Telemetry discontinued time	01/22/24		į

		Care Item	10 v	0	Last Done	Status/ Due	Mon Feb 12 07:00	Mon Feb 12 09:00	Mon Feb 12 09:02	Mon Fe 17:
	Ao	Tele Application/Discontinuation +	ONCE							
	Α	First Point of Contact	Once Nur		3mo	Active				
	А	Health History	Once Nur	Р	26d	Cancellec	1			
	А	Living Situation and Abuse	Once Nur	Р		Complete				
	Α	Pre-Procedure Checklist	Once Nur	A		Hold/Res	ume			
	Α	Intravascular Access/Saline Lock	PRN Nur	AP		Hold For				
	Α	Manage-Refer-Contact-Notify	PRN Nur							
	Α	Pain Assessment	PRN Nur							
	Α	Sleep Apnea Screening	PRN Nur							
	Α	Sleep Apnea Screening	PRN Nur							
	А	Teach	PRN Nur							
	А	SLED/SCUF Treatment	Q1	A						
	Α	Fall Risk	Q12	AP						
	Α	Medical Device Related Protocol	Q12							
	Α	Oxygen Therapy	Q12			-3h				
	Α	Sepsis Assessment	Q12	AP						
	Α	Hemodialysis Treatment	Q15M	A						
	Α	Ventilator Care Nursing	Q2							
	Α	Vital Signs (CMI)	Q4H			-6h				
	Α	Advance Directive Followup	QSHIFT	A						
	Α	Clinical Reassessment	QSHIFT	A				-		
	Α	Intake and Output (I&O)	QSHIFT	A	6d	-30h		٩		
	Α	Skin Risk Assessment	QSHIFT							
	Α	Vital Sign	QSHIFT			6h				
	Ι	Routine Safety Precautions	RND	Р						
	Α	Shift Activity	SHIFTCHG	Р						
	I	Vital Signs - Special	Stat		6h	18h				
	Α	Discharge Vaccination Status								
	Α	Erik's PCS Test Intervention								
	Α	Language Assistant +								
	A	Moderate Sedation		_						
	Α	OB Maternal Early Warning Tool (MEWT) +		A						
	Α	PCI Procedure					1			
1										

Here is an example.

Selecting the arrow will open the data and time overlays as shown in the application.

Note: Future dates and times will not be accepted by the system.

Select **Save and Exit** to file the screen.

After documenting the Discontinuation date and time, the intervention should be Completed by clicking in the Status/Due column and then selecting Complete.

This will remove the Intervention from the worklist cleaning up the Nurse's display.

NOTE: A new intervention will populate the Worklist if Telemetry is re-ordered by the Provider.



	Care Item		00	0	Last Done	Status/ - Due	Today 11:34	NOW
Ao	Tele Application/Discontinuat	ion +	ONCE	2	1m		0	Done
Α	Advance Directive Followup	Q	SHIFT					
A	Clinical Reassessment	ç	SHIFT	B				
A	Comprehensive Assessment		ONCE	P				
A	Discharge Vaccination Status			1.22				
Α	Fall Risk		Q12	AP				
A	First Point of Contact		ONCE	70				
Α	Health History		ONCE	P				
A	Health History	On	ce Nur	P				
Α	Height & Weight		ONCE					
A	Intake and Output (I&O)	Q	SHIFT					
Δ	Intravascular Access/Saline L	ock pr	N Nur	A P			_	
Α	Manage-Refer-Contact-Notify	PF	N Nur					
A	Medical Device Related Proto	col	Q12				-	-
A	Pain Assessment	PF	N Nur					
Ao	Precautions/Isolation	CONTIN	IUOUS					
Ao	Precautions/Isolation	CONTIN	luous					
A	Routine Care		DAILY					
I	Routine Safety Precautions		RND	Р				
Α	Sepsis Assessment		Q12	R P				
A	Shift Activity	SHI	TCHG	P			-	
A	Skin Risk Assessment	Q	SHIFT					
A	Sleep Apnea Screening	PF	N Nur					
A	Sleep Apnea Screening	pt	N Nur	1				
A	Teach	PF	N Nur					
A	Vital Sign	Q	SHIFT					
Δ	Vital Signs (CMI)		04H					

Manage, Refer, Contact, Notify intervention will also display on the worklist

ments mage-Refer-Contact-Notify	
nage-Refer-Contact-Notify	Ý
Action	○ Notified ○ Paged (not notified) ○ Re-paged (not notified) ○ Invoked chain of command ○ Multidisciplinary r
Who attended	Bedside nurse Charge nurse Detary Pharmacy RT Case management Consulting physician Intection control Provider Social worker Chaplain Diabetes educator Palliative Care P/IO Wound care specialist
Plan for today	Antibiotic de-escalation DVT prophylaxis Line site change PT/OT Antibiotic therary program Electrolyte replacement Mobility or ambulate Sedation weaning Antibiotic therary pC Family conference Nutrition/Tolerate feeds Speech Central line removal Glucose management Pallative care Sugical procedure Code status/Classification Hemodynamic monitoring Plan for hospice Track collar replacement Diagnostic testing Increase sodation Plan for SNF Vent weaning/Extuabate Vent weaning/Extuabate Do NOT extubate Interventional procedure Plan for for SNF Vent weaning/Extuabate Vent weaning/Extuabate
Reason notified	Ahnormal vital signs Diagnostic test/lab Patient concern Change in patient condition Disability Cotinuity of care Order darification Cotinuity of care Order darification Rytythm change/arrhythmia Telemetry restart
Entity attempted/notified	Assisted living facility Funeral home Occupational therapy Security Case management Home health Organ procurement agency Senior services Ohid protective services Infection control Pastoral care Significant other Cardiac rehab Law enforcement Pharmacist Surrogate Ohaplain Listed emergency contact Physical Therapy Swallow therapy Coroner Meels on wheels Post-acute care Termienty tech Court representative Mental health therapist Probate officer Wound/ostomy care Employer representative Nursin home Despect therapy Expect therapy

The Manage, Refer, Contact, Notify

Intervention will have only two options in the Reason notified field:

Telemetry Interruption and **Telemetry restart**.

Select **Save and Exit** to file the screen once all fields have been completed.

