

MEDITECH Expanse TIP SHEET

Additional Tests



Acute OT Orientation/Cognition/Visual/Perceptual/Sensation

Orientation/Behavior/Patient Equipment

Cognitive Tests

OT Cognitive tests (AI)

CAM (CI) Mini Mental State Examination (MMSE) Montreal Cognitive Assessment (MoCA) Short Blessed Test Saint Louis University Mental Status Exam (SLUMS) Other

Mini Mental State Examination (MMSE)

Mini Mental State Examination (MMSE) score

Mini Mental State Examination (MMSE) interpretation

Other Test(s)

*Other test name(s)

Other test score(s)

Other test interpretation(s)

Impacts:

- Acute OT Evaluation
- Acute OT Treatment Note
- Acute SLP Communication Cog-Ling Eval +
- OP SLP Communication Cog-Ling Eval +
- OP SLP Discharge Note +

SLP Language

Reason Not Assessed

Did not assess due to

Other reasons patient not assessed

Language Tests

Language tests

ABA-2 Aphasia Battery Bedside Western Aphasia Battery Revised Bedside- (Bedside WAB-R) Quick Aphasia Test Western Aphasia Battery Other

Aphasia Impact Questionnaire (AIQ-21) Boston Naming Test - Short Form Western Aphasia Battery

Boston Diagnostic Aphasia Exam (BDAE) Frenchay Dysarthria Assessment (FDA-2)

Other Tests

*Other test name(s)

Other test score(s)

Other test interpretation(s)

Impacts:

- Acute SLP Communication Cog-Ling Eval +
- OP SLP Communication Cog-Ling Eval +
- OP SLP Discharge Note +

1. **OT Cognitive Tests:** “Added the Mini Mental State Examination (MMSE) and “Other”.

2. **Language Tests:** Added “Other”.

✓ SLP Special Tests
 ✓ SLP Special Tests
 SLP special tests
 ✓ Rancho Los Amigos Levels of Cognitive Functioning - Revised
 Rancho Los Amigos Levels of Cognitive Functioning - Revised
 Rancho Los Amigos levels of cognitive functioning - revised
 Level 1-No response. Total assistance
 Level 2-Generalized response. Total assistance
 Level 3-Localized response. Total Assistance
 Level 4-Confused-agitated. Maximal assistance
 Level 5-Confused-inappropriate-non-agitated. Maximal assistance
 Level 6-Confused-appropriate. Moderate assistance
 Level 7-Automatic-approp. Min assist for routine daily living skills
 Level 8-Purposeful and appropriate. Stand-by assistance
 Level 9-Purposeful and appropriate. Stand-by assistance on request
 Level 10-Purposeful and appropriate. Modified independent
 - - Copyright - -

3. Rancho Los Amigos – Levels of Cognitive Functioning Revised: added to the Acute SLP interventions.

Impacts:

Acute SLP Communication Cog-Ling Eval
 Acute SLP Oropharyngeal Swallow Eval
 SLP Modified Barium Swallow Eval
 SLP Fiberoptic Endoscopic Eval (FEES)
 Acute SLP Treatment Note

4. Balance/Function Tests: Added “Function in Sitting Test (FIST)” and “Other”

✓ Therapy Balance/Function Tests
 Balance/Function Tests
 Balance and function tests
 4 Stage Balance Test
 30 Second Chair Stand
 Activities-Specific Balance Confidence Scale
 Barthel Index for Stroke
 BEGG
 Dizziness Handicap Inventory (DHI)
 Dynamic Gait Index
 Eyes Open/closed
 Functional Assessment of Cancer Therapy (FACT)
 Functional Gait Assessment
 Function in Sitting Test (FIST)
 Functional Reach Test (FRT)
 Gait Speed
 Harris Hip Score
 High Level Mobility Assessment Tool (hMAT)
 Hip Dysfunction and Osteoarthritis Outcome Score, Jr (HOOS, Jr)
 Knee Injury and Osteoarthritis Outcome Score, Jr (KOOS, Jr)
 Lymphedema Life Impact Scale (LLIS)
 Lymphoedema Quality of Life Tool (LYMQOL) - Arm
 Lymphoedema Quality of Life Tool (LYMQOL)- Leg
 Lysholm Knee Scale
 Modified Falls Efficacy Scale
 Motion Sensitivity Quotient
 Oxford Hip Score
 Oxford Knee Score
 Postural Assessment Scale for Romberg
 Romberg
 Sharpened Romberg
 Stroke Rehab Assessment of Tandem Standing
 Timed Up and Go
 Trunk Impairment Scale
 Other

Function in Sitting Test (FIST)
 Function in Sitting Test (FIST) score
 Function in Sitting Test (FIST) interpretation
 Other Test(s)
 *Other test name(s)
 Other test score(s)
 Other test interpretation(s)

Impacts:

Acute PT Evaluation
 Acute PT Treatment Note
 Acute OT Evaluation
 Acute OT Treatment Note
 Acute PT Pediatric Evaluation
 OP PT Evaluation
 OP OT Evaluation

MEDITECH Expanse TIP SHEET

New Charges Added for Acute and OP Therapy



Acute PT Therapy

▼ Timed Therapy Treatments

PT therapies provided this session

- PT electric stimulation
- PT gait training
- PT manual therapy
- PT massage therapy
- PT neuromuscular re-education
- PT orthotics fitting and training
- PT orthotics subsequent visits
- PT physical performance test/measurement
- PT prosthetic fitting and training
- PT sensory integration
- PT therapeutic activity
- PT therapeutic exercise
- PT training self home
- PT ultrasound
- PT wheelchair management

1. **PT Timed Therapies:**
Added “PT Physical performance test/measurement”.

Before

▼ PT Wound Therapy

PT wound therapy

- Debridement
- Negative pressure 50 cm or less
- Negative pressure > 50 cm
- Removal of devitalized tissue
- Unna boot, 1 leg
- Unna boot, 2 legs

2. **PT wound therapy question** is replaced with another question with more therapies applicable to wounds.

After

▼ PT Wound Therapy

PT wound therapy

- PT apply a multilayer compression system below knee, bilateral
- PT apply a multilayer compression system below knee, left
- PT apply a multilayer compression system below knee, right
- PT apply a multilayer compression system upper extremity, bilateral
- PT apply a multilayer compression system upper extremity, left
- PT apply a multilayer compression system upper extremity, right
- PT apply rigid total contact leg cast, bilateral
- PT apply rigid total contact leg cast, left
- PT apply rigid total contact leg cast, right
- PT debridement
- PT negative pressure 50 cm or less (disposable NON-DME)
- PT negative pressure 50 cm (nondisposable DME)
- PT negative pressure > 50 cm (disposable NON-DME)
- PT negative pressure > 50 cm (nondisposable DME)
- PT removal of devitalized
- PT unna boot, bilateral
- PT unna boot, Left
- PT unna boot, right

3. Added **PT burn therapy**.

New PT Burn Therapy Charges

▼ PT Burn Therapy

PT burn therapy

- Dress/debride burn large; > 10% of total body surface area
- Dress/debride burn medium; 5-10% of total body surface area
- Dress/debride burn small; less than 5% of total body surface area

Acute OT Therapy

OT Timed Therapy Treatments

OT Therapies provided this session

- OT biofeedback training
- OT cognitive skills
- OT community/work integration
- OT contrast bath
- OT electric stimulation
- OT manual therapy
- OT massage therapy
- OT neuromuscular reeducation
- OT orthotics fitting and training
- OT orthotics subsequent visits
- OT physical performance test/measurement
- OT prosthetics fitting and training
- OT sensory integration
- OT therapeutic activity
- OT therapeutic exercise
- OT training self home
- OT ultrasound
- OT wheelchair management

OT Untimed Therapy Treatments

OT untimed therapies provided this session

- OT canolith
- OT electric stimulation for wound care
- OT electric stimulation unattended not wound care
- OT group caregiver training
- OT group therapy
- OT paraffin bath
- OT vasopneumatic devices
- OT whirlpool

OT Wound Therapy

OT wound therapy

- Apply a multilayer compression system below knee, bilateral
- Apply a multilayer compression system below knee, left
- Apply a multilayer compression system below knee, right
- Debridement
- Removal of devitalized tissue

4. **OT Timed Therapies:** “OT biofeedback training”, “OT contrast bath”, and “OT physical performance test/measurement” will be added.

5. **OT Untimed Therapies:** Added “OT vasopneumatic device”.

6. **OT wound therapy:** Added “Apply a multilayer compression system below knee, bilateral”, “Apply a multilayer compression system below knee, left”, and “Apply a multilayer compression system below knee, right”.

Acute SLP Therapy

Treatment Type
 *Treatment Type

- None
- Dysphagia Treatment
- Speech-language treatment
- SLP group caregiver training
- SLP group therapy
- SLP therapeutic services associated with speech generating device

Timed Therapy Treatments
 SLP therapies provided this session

- SLP cognitive treatment
- SLP electric stimulation
- SLP manual therapy
- SLP self/home training

7. **Treatment Type:** Added “SLP group therapy” and “SLP therapeutic services associated with speech generated device”.

8. **SLP Timed Therapies:** Added “SLP manual therapy”, and “SLP electric stim”.

OP PT Therapy

Before

PT Wound Therapy
 PT wound therapy

- Debridement
- Negative pressure 50 cm or less
- Negative pressure > 50 cm
- Removal of devitalized tissue
- Unna boot, 1 leg
- Unna boot, 2 legs

After

PT Wound Therapy
 PT wound therapy

- PT apply a multilayer compression system below knee, bilateral
- PT apply a multilayer compression system below knee, left
- PT apply a multilayer compression system below knee, right
- PT apply a multilayer compression system upper extremity, bilateral
- PT apply a multilayer compression system upper extremity, left
- PT apply a multilayer compression system upper extremity, right
- PT apply rigid total contact leg cast, bilateral
- PT apply rigid total contact leg cast, left
- PT apply rigid total contact leg cast, right
- PT debridement
- PT negative pressure 50 cm or less (disposable NON-DME)
- PT negative pressure 50 cm (nondisposable DME)
- PT negative pressure > 50 cm (disposable NON-DME)
- PT negative pressure > 50 cm (nondisposable DME)
- PT removal of devitalized
- PT unna boot, bilateral
- PT unna boot, Left
- PT unna boot, right

9. **PT wound therapy question** is replaced with another question with more therapies applicable to wounds.

New PT Burn Therapy Charges

PT Burn Therapy	<input type="radio"/> Dress/debride burn large; > 10% of total body surface area
PT burn therapy	<input type="radio"/> Dress/debride burn medium; 5-10% of total body surface area
	<input type="radio"/> Dress/debride burn small; less than 5% of total body surface area

New PT Work Hardening/Conditioning

PT Work Hardening/Conditioning Minutes/Units	
*PT work hardening/conditioning minutes	▼
*PT work hardening/conditioning units	▼

OP OT Therapy

OT Wound Therapy	<input type="checkbox"/> Apply a multilayer compression system below knee, bilateral
OT wound therapy	<input type="checkbox"/> Apply a multilayer compression system below knee, left
	<input type="checkbox"/> Apply a multilayer compression system below knee, right
	<input type="checkbox"/> Debridement
	<input type="checkbox"/> Removal of devitalized tissue

10. Added **PT burn therapy**.

11. Added **PT work hardening/conditioning therapy**.

12. **OT wound therapy:**
Added “Apply a multilayer compression system below knee, bilateral”, “Apply a multilayer compression system below knee, left”, and “Apply a multilayer compression system below knee, right”.

OP SLP Therapy

▼ Treatment Type

*Treatment Type	<input type="checkbox"/> None
	<input type="checkbox"/> Dysphagia Treatment
	<input type="checkbox"/> Speech-language treatment
	<input type="checkbox"/> SLP group caregiver training
	<input type="checkbox"/> SLP group therapy
	<input type="checkbox"/> SLP therapeutic services associated with speech generating device

▼ Timed Therapy Treatments

SLP therapies provided this session	<input type="checkbox"/> SLP cognitive treatment	<input checked="" type="checkbox"/> SLP manual therapy	<input type="checkbox"/> SLP sensory integration
	<input type="checkbox"/> SLP electric stimulation	<input type="checkbox"/> SLP self/home training	

13. **Treatment Type:** Added “SLP group therapy” and “SLP therapeutic services associated with speech generated device”.

14. **SLP therapies:** Added “SLP manual therapy”.

MEDITECH Expense TIP SHEET

Weight Bearing Status Order



Removing “toe touch” option from LUE type, RUE type, and BUE type on **Weight Bearing Status** order

Weight Bearing Status

Stat

Routine * New 02/26/25

* Provider: Mt, Meditech

* Source: Telephone Order Read-Back

* Extremity: LUE

* LUE type:
As tolerated
Full
Partial
~~Toe touch~~
Non-weight bearing

Weight bearing status comment